

# Coaxial Cable

## Other Coaxial and Triaxial Cable

TEVELEC NUMBER	RG Type	AWG Size + D.C.R	Dielectric + O.D.	Shield Type + D.C.R.	Nom. Jkt. O.D.	Nom. Imp. (Ohms)	Vel. Prop.	Nom. Cap/Ft	MHz	Atten. dB
<b>T4516</b> Outdoor	Precise Video	20 Solid Bare Copper 9.9	Solid Polyethylene .200	98% Tinned Copper Double Braid	.305 Poly Blue	75	66%	20.5	1 10 50 100 200 400 700	0.4 1.1 2.0 2.9 4.3 6.4 9.0
<b>T4556</b> Indoor UL1354 CSA FT4	Precise Video	20 Solid Bare Copper 9.9	Solid Polyethylene .200	98% Tinned Copper Double Braid	.305 Flame Retardant PVC Blue	75	66%	20.5	1 10 50 100 200 400 700	0.4 1.1 2.0 2.9 4.3 6.4 9.0
<b>T4565</b> UL1354 CSA FT4	Sub-Miniax	27 (7X35) CCS 120.0	Solid Polyethylene .100	93% Tinned Copper Braid	.150 Flame Retardant PVC Black	75	66%	20.5	10 50 100 200 400 700 1000	2.40 4.20 5.70 8.30 12.01 16.50 20.00
<b>T4607</b> CM CL2	Pro Video Minimax	25 Solid Bare Copper 30.0	Cellular Polyethylene .085	95% Bare Copper Braid	.146 PVC 6 Colors	75	82%	16.2	1 5 10 50 100	.5 1.3 1.8 3.6 5.3
<b>T4623</b> CM	Pro Video Minimax SDI Digital Video	25 Solid Bare Copper 30.0	Cellular Polyethylene .085	APA Foil + 95% Tinned Copper Braid	.146 PVC 6 Colors	75	82%	16.2	1 5 10 33 50 100 500	1.44 4.26 5.9 9.8 11.81 16.73 37.72
<b>T4536</b> UL1354 CSA FT1	59 Triax	20 Solid Bare Copper 9.9	Cellular Polyethylene .142	95% BC Braid + .020 Separator + 95% BC Braid	.315 PVC Jacket Black	75	82%	16.2	1 10 50 100 400 750 1000	.5 .9 1.8 2.2 5.6 7.2 9.1